



HUNTING & SPORTING CARTRIDGES



www.zsr.com.tr



YAF
bir ZSR
markasıdır



HUNTING & SPORTING CARTRIDGES



HUNTING & SPORTING CARTRIDGES



Product Code	YAF 16S
Caliber	16 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	25 g.
Wad	Plastic
Lead Shot Size	Standart
Velocity	440 m/s
Case&Box	10/200 pcs.



Product Code	YAF 16SG
Caliber	16 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	26 g.
Wad	Plastic
Lead Shot Size	Standart Gold
Velocity	440 m/s
Case&Box	10/200 pcs.



Product Code	YAF 20S
Caliber	20 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	22 g.
Wad	Plastic
Lead Shot Size	Standart
Velocity	440 m/s
Case&Box	10/200 pcs.



Product Code	YAF 3612
Caliber	36 mm.
Brass Height	16 mm.
Case Height	63 mm.
Gram	12 g.
Wad	Bior
Lead Shot Size	3-4-5...-10-11
Velocity	400 m/s
Case&Box	25/500 pcs.



Product Code	YAF F1TRP
Caliber	12 mm.
Brass Height	25 mm.
Case Height	70 mm.
Gram	24 g.
Wad	Plastic
Lead Shot Size	7,5
Velocity	420 m/s
Case&Box	25/250 pcs.



Product Code	YAF SPTRP
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	24 g.
Wad	Plastic
Lead Shot Size	7,5
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 36S
Caliber	36 mm.
Brass Height	16 mm.
Case Height	63 mm.
Gram	7,5 g.
Wad	Plastic
Lead Shot Size	Standart
Velocity	460 m/s
Case&Box	25/500 pcs.



Product Code	YAF 1628&1630
Caliber	16 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	28 g. & 30 g.
Wad	Plastic
Lead Shot Size	05-04-...-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 2025&2028
Caliber	20 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	25 g. & 28 g.
Wad	Plastic
Lead Shot Size	1-2-3-...-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF SPSKT
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	24 g.
Wad	Plastic
Lead Shot Size	9,5
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 1232M
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	32 g.
Wad	Plastic
Lead Shot Size	6
Velocity	430 m/s
Case&Box	10/200 pcs.



Product Code	YAF 1232R
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	32 g.
Wad	Plastic
Lead Shot Size	6
Velocity	430 m/s
Case&Box	10/200 pcs.



Product Code	YAF 2028B
Caliber	20 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	25 g. & 28 g.
Wad	Bior
Lead Shot Size	1-2-3-...-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 2816
Caliber	28 mm.
Brass Height	08 mm.
Case Height	65 mm.
Gram	16 g.
Wad	Plastic
Lead Shot Size	3-4-5...-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 2822
Caliber	28 mm.
Brass Height	08 mm.
Case Height	65 mm.
Gram	22 g.
Wad	Plastic
Lead Shot Size	3-4-5...-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 1234L
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Plastic
Lead Shot Size	3 - 4
Velocity	430 m/s
Case&Box	10/200 pcs.



Product Code	YAF 1234L
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Plastic
Lead Shot Size	3 - 4
Velocity	430 m/s
Case&Box	10/200 pcs.



Product Code	YAF 1234R
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Plastic
Lead Shot Size	6
Velocity	430 m/s
Case&Box	10/200 pcs.

HUNTING & SPORTING CARTRIDGES



YAF
12 cal. 28g.

Product Code	YAF 1228
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	28 g.
Wad	Plastic
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
2 cal. 30g.

Product Code	YAF 1230
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	30 g.
Wad	Plastic
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12cal. 32g.

Product Code	YAF1232
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	32 g.
Wad	Plastic
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12cal. 50g.

Magnum

Product Code	YAF 1250M
Caliber	12 mm.
Brass Height	25 mm.
Case Height	76 mm.
Gram	50 g.
Wad	Plastic
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	10/200 pcs.



YAF
12 cal. 30g.
FELT

Product Code	YAF1230F
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	30 g.
Wad	Felt
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 31g.
FELT

Product Code	YAF1231F
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	31 g.
Wad	Felt
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 34g.

Product Code	YAF 1234
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Plastic
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 34g.

Dispersante

Product Code	YAF 1234D
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Dispersante
Lead Shot Size	4 - 5 -....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 36g.

Product Code	YAF 1236
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	36 g.
Wad	Plastic
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 32g.
FELT

Product Code	YAF 1232F
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	32 g.
Wad	Felt
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 33g.
FELT

Product Code	YAF 1233F
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	33 g.
Wad	Felt
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 34g.
FELT

Product Code	YAF 1234F
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Felt
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal.
34g.

Test Cartridges

Product Code	YAF 1234T
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	32 g. & 34 g.
Wad	Plastic
Lead Shot Size	1-2-....-10-11
Pmax	1000-1500 BAR
Case&Box	25/250 pcs.



YAF
12 cal.

Sound Cartridges

Product Code	YAF 12SC
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	-
Wad	Plastic
Lead Shot Size	-
Velocity	-
Case&Box	25/500 pcs.



YAF
12cal. 40g.

Super Shot

Product Code	YAF1240SS
Caliber	12 mm.
Brass Height	25 mm.
Case Height	70 mm.
Gram	40 g.
Wad	Plastic
Lead Shot Size	05-04-....-1011
Velocity	400 m/s
Case&Box	10/200 pcs.



YAF
12 cal. 28g.
BIOR

Product Code	YAF1228B
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	28 g.
Wad	Bior
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 30g.
BIOR

Product Code	YAF 1230B
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	30 g.
Wad	Bior
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



YAF
12 cal. 31g.
BIOR

Product Code	YAF 1231B
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	31 g.
Wad	Bior
Lead Shot Size	05-04-....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.

HUNTING & SPORTING CARTRIDGES



HUNTING & SPORTING CARTRIDGES



Product Code	YAF 1233B
Caliber	12 mm.
Brass Height	12 mm.
Case Height	70 mm.
Gram	33 g.
Wad	Bior
Lead Shot Size	05-04-.....-10-11
Velocity	400 m/s
Case&Box	25/250 pcs.



Product Code	YAF 129P
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Bior
Lead Shot Size	8,6 mm.
Velocity	420 m/s
Case&Box	10/200 pcs.



Product Code	YAF 129PG
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Bior
Lead Shot Size	8,6 mm. GOLD
Velocity	420 m/s
Case&Box	10/200 pcs.

Gold



HUNTING & SPORTING CARTRIDGES



Product Code	YAF 209P
Caliber	20 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	22 g.
Wad	Bior
Lead Shot Size	7,4 mm.
Velocity	420 m/s
Case&Box	10/200 pcs.



Product Code	YAF 209PG
Caliber	20 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	22 g.
Wad	Bior
Lead Shot Size	7,4 mm. Gold
Velocity	420 m/s
Case&Box	10/200 pcs.

Gold



Product Code	YAF12S
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	32 g.
Wad	Plastic
Lead Shot Size	Standart
Velocity	440 m/s
Case&Box	10/200 pcs.



Product Code	YAF 1212P
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Bior
Lead Shot Size	7,8 mm.
Velocity	420 m/s
Case&Box	10/200 pcs.



Product Code	YAF 1212PG
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Bior
Lead Shot Size	7,8mm. GOLD
Velocity	420 m/s
Case&Box	10/200 pcs.

Gold



Product Code	YAF 1227P
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	38 g.
Wad	Bior
Lead Shot Size	6,2 mm.
Velocity	415 m/s
Case&Box	10/200 pcs.



Product Code	YAF 12SG
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	33 g.
Wad	Plastic
Lead Shot Size	Standart Gold
Velocity	440 m/s
Case&Box	10/200 pcs.

Gold



Product Code	YAF 12SS
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	32 g.
Wad	Plastic
Lead Shot Size	Gualandi Model
Velocity	450 m/s
Case&Box	10/200 pcs.



Product Code	YAF12DA
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	24 g.
Wad	Plastic
Lead Shot Size	14mm. x 2
Velocity	430 m/s
Case&Box	10/200 pcs.

Double - Action



Product Code	YAF 1227PG
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	38 g.
Wad	Bior
Lead Shot Size	6,2mm. GOLD
Velocity	415 m/s
Case&Box	10/200 pcs



Product Code	YAF 169P
Caliber	16 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	25 g.
Wad	Bior
Lead Shot Size	7,8 mm.
Velocity	420 m/s
Case&Box	10/200 pcs.



Product Code	YAF 169PG
Caliber	16 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	25 g.
Wad	Bior
Lead Shot Size	7,8 mm. Gold
Velocity	420 m/s
Case&Box	10/200 pcs.

Gold



Product Code	YAF 12TA
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	30 g.
Wad	Plastic
Lead Shot Size	11mm. x 3
Velocity	430 m/s
Case&Box	10/200 pcs

Trible Action



Product Code	YAF 12SHK
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	34 g.
Wad	Bior
Lead Shot Size	18 mm.
Velocity	450 m/s
Case&Box	10/200 pcs.

Shock Star



Product Code	YAF 12TRB
Caliber	12 mm.
Brass Height	16 mm.
Case Height	70 mm.
Gram	33 g.
Wad	Bior
Lead Shot Size	Turbo Model
Velocity	440 m/s
Case&Box	10/200 pcs.

Turbo - Action

BLANK CARTRIDGES & RUBBER CARTRIDGES

BLANK CARTRIDGES

TECHNICAL PROPERTIES

	9x22mm Gold	9x22 mm Iron
Case Material	Steel	Steel
Case Coating	Brass	Nickel
Type of Bullet	Plastic	Plastic
Colour of Bullet	Green	Green
Bullet Weight	0,03 gr.	0,01 gr.
Primer Type	4.4 Boxer Primer	Shotshell Primer
Powder	Double Base Powder	Nc Powder
Pressure	Max. 400 bar	Max. 400 bar

PACKING

50 rounds in cardboard box
50 cardboard boxes (2500 rounds) in carton box



RUBBER CARTRIDGES

TECHNICAL PROPERTIES

	YAS 9 mm RUBBER	YAF 12 CAL. ONE RUBBER BALL	YAF 12 CAL. TWO RUBBER BALL	YAF 12 CAL. THREE RUBBER BALL
Overall Length	22,2 mm (±0,1)	57,5 ± 0,5 mm	57,5 ± 0,5 mm	61,5 ± 0,5 mm
Type of Bullet	Rubber	Rubber	Rubber	Rubber
Colour of Bullet	Black	Black	Black	Black
Diameter of bullet	8.60 mm ±0,1	18,2 ± 0,1 mm	18,2 ± 0,1 mm	8.60 mm ± 0,1
Bullet Weight	0,63 gram ±0,01	4,2 ± 0,05 gram	8,4 ± 0,05 gram	1,52 ± 0,05 gram
Pressure	Max 400 Bar	4,2 ± 0,05 gram	Max 220 Bar	Max 220 Bar
Velocity (m/s)at 3,5 m	430 ± 20 m/sn	300 ± 20 m/sn	300 ± 20 m/sn	450 ± 20 m/sn
Energy (Joule)	Between 50-60 joule	Between 150-200 joule	Between 350-400 joule	Between 150-200 joule

TECHNICAL PROPERTIES

	YAF 12 CAL. NINE RUBBER BALL	YAF 12 CAL. EIGHTEEN RUBBER BALL	YAF 12 CAL. CYLINDER RUBBER BALL
Overall Length	61,5 ± 0,5 mm	62 ± 0,5 mm	59,5 ± 0,5 mm
Type of Bullet	Rubber	Rubber	Rubber
Colour of Bullet	Black	Black	Black
Diameter of bullet	8.60 mm ± 0,1	8.60 mm ± 0,1	18 mm ± 0,1
Bullet Weight	4,52 ± 0,05 gram	9 ± 0,05 gram	11,5 ± 0,05 gram
Pressure	Max 220 Bar	Max 220 Bar	Max 350 Bar
Velocity (m/s)at 3,5 m	450 ± 20 m/sn	475 ± 20 m/sn	300 ± 20 m/sn
Energy (Joule)	Between 425-475 joule	Between 1000-1100 joule	Between 500-550 joule



Kavaklı Mahallesi Kavaklı Sokak No:1/B 10010 Karesi - Balıkesir / TÜRKİYE
www.zsrpatlayici.com

